EPA Reg. No. 2596-165 Vol. 2



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

February 26, 2014

Mr. Sean McNear Senior Director, Regulatory Affairs The Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ 07094-3688

Subject:

Amended Labeling; Submission of Efficacy Data to Support New Speed of Kill Claim

Hartz® Reference #131, EPA Reg. No. 2596-166

Your Submission Dated June 12, 2013 & E-Resubmission Dated February 26. 2014

Dear Mr. McNear:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

Should you wish to add/retain a reference to the company's website, smart phone/tablet app and/or a QR code reader on your product label, please be aware that the website, smart phone/tablet app and/or a QR code reader becomes labeling under FIFRA and is subject to review by the Agency. If the website, smart phone/tablet app, and/or a QR code reader is false or misleading, the product would be misbranded and unlawful to sell or distribute under section 12(a)(1)(E) of FIFRA. 40 CFR §156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website, smart phone/tablet app, and/or a QR code reader is referenced on a product's label, claims made on the website, smart phone/tablet app, and/or a QR code reader may not be substantially differ from those claims approved through the registration process. Therefore, should the Agency find, or if it is brought to our attention that a website, smart phone/tablet app, and/or a QR code reader contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website, smart phone/tablet app, and/or a QR code reader will be referred to EPA's Office of Enforcement and Compliance Assurance (OECA). As an alternative, you may refer consumers to the company's phone number or e-mail address.

A copy of your label stamped "Accepted" as well as copies of the efficacy review and review for minimum treatment weight that were completed for the referenced product amendment are enclosed for your records. Please submit two (2) copies of the final printed labeling, incorporating the above changes, before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA. Your release for shipment of the product bearing amended labeling constitutes accepting of these conditions.

If you have any questions about this label review, please contact Mr. Carmen Rodia at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov.

Sincerely yours,

Richard J. Gebken Product Manager (10)

Insecticide Branch

Registration Division (7504P)

Enclosures:

Label Stamped "Accepted," dated February 26, 2014

Efficacy Review, dated December 6, 2013

Review for Minimum Treatment Weight, dated November 4, 2013

002596-00166 D479891

Hartz® Reference # 131

Alternate Brand Names

Hartz® Force Plus™ Dual Action Topical Treatment for Cats (& Kittens)

Hartz® FieldForce Plus™ Dual Action Topical Treatment for Cats (& Kittens)

Hartz® First Defense Plus™ Dual Action Topical Treatment for Cats (& Kittens)

Hartz® First Defense Plus™ Dual Active Topical Treatment for Cats (& Kittens)

Hartz® Plus ForceTM for Cats (& Kittens)

Hartz® FieldForce Plus™ for Cats (& Kittens)

Hartz® First Defense Plus™ for Cats (& Kittens)

Hartz® Plus Force™ Dual Action Topical Solution for Cats (& Kittens)

Hartz® FieldForce Plus™ Dual Action Topical Solution for Cats (& Kittens)

Hartz® First Defense Plus™ Dual Action Topical Solution for Cats (& Kittens)

Hartz® First Defense Plus™ Dual Active Topical Solution for Cats (& Kittens)

FieldForce Plus™ Dual Action Topical Treatment for Cats (& Kittens)

First Defense Plus™ Dual Action Topical Treatment for Cats (& Kittens)

First Defense Plus™ Dual Active Topical Treatment for Cats (& Kittens)

FieldForce PlusTM for Cats (& Kittens)

First Defense Plus™ for Cats (& Kittens)

FieldForce PlusTM Dual Action Topical Solution for Cats (& Kittens)

First Defense Plus™ Dual Action Topical Solution for Cats (& Kittens)

First Defense Plus™ Dual Active Topical Solution for Cats (& Kittens)

FRONT PANEL

ACTIVE INGREDIENTS:

Fipronil	9.80%
(S)-Methoprene	11.80%
OTHER INGREDIENTS	
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements.

NET CONTENTS: 0.051 fl. oz. (1.5 ml), Contains 3 tubes, each 0.017fl. oz. (0.5 ml)

For use ONLY on CATS and kittens 8 weeks and older weighing 3 lbs. or more

ACCEPTED

February 26, 201 Cluber the Federal Insecticide, Fungicide, nd Rodenticide Act, as amended, for the positicide registered under

pesticide registered under:

BACK PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 8 weeks of age or weighing less than 3 lbs. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Pets may experience some temporary irritation at the site of product application. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Call 1-800-275-1414 for 24-hour assistance.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents) you may call 1-800-275-1414 twenty-four (24) hours per day, seven (7) days per week.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.


IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

DIRECTIONS FOR USE


It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

TO PREVENT HARM TO YOU AND YOUR PET READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS, DOGS, PUPPIES, OR OTHER ANIMALS.

To kill fleas, all stages of brown dog ticks, American dog ticks, lone star ticks, and deer ticks [which may carry Lyme disease], chewing lice and mosquitoes, apply to cats and kittens 8 weeks or older weighing 3 lbs. or more as follows:



1 Remove one applicator tube from the package and hold in an upright position pointed away from your face.



2 Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip.

- 3. Position the dispensing tip on the cat's back between the shoulder blades. Use the dispensing tip of the tube to part the cat's hair so that the product will be applied at skin level. Squeeze applicator, applying entire contents in a single spot on the animal's skin. Separate treated cat from other (dogs and cats) (pets) for 24 hours after treatment has been applied.
- 4. Reapply once per month.

PRODUCT NAME contains Fipronil and the insect grown regulator (IGR) (S)-Methoprene. PRODUCT NAME effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas, ticks, chewing lice and mosquitoes.

PRODUCT NAME can also be used for the treatment and control of mosquitoes, and flea, tick and chewing lice infestations on breeding, pregnant and lactating queens.

FREQUENCY OF APPLICATION

When used monthly, PRODUCT NAME completely breaks the flea life cycle and controls tick and chewing lice infestations. Research demonstrates that PRODUCT NAME kills adult fleas, flea eggs, and flea larvae for up to six weeks. PRODUCT NAME also prevents development of

all flea stages for up to six weeks. PRODUCT NAME kills ticks for a least one month. A once monthly application is recommended where tick control is needed. Although PRODUCT NAME can control fleas for up to six weeks, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

With a monthly application of PRODUCT NAME kills mosquitoes within 24 hours for up to 14 days and within 48 hours for up to 28 days.

PRODUCT NAME remains effective even after bathing, water immersion, or exposure to sunlight. Avoid contact with treated area until dry. Do not reapply PRODUCT NAME for 30 days.

SIDE EFFECTS

Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-275-1414.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL. Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. *If partly filled*: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

For more information call our (flea and tick) experts at 1-800-275-1414 (weekdays, 9 am - 5 pm E.S.T.)

EPA Reg. No. 2596-166

EPA Est. No. 2596-OH-1

Hartz[®] and other trademarks are trademarks of The Hartz Mountain Corporation.

Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 (U.S.A.)

INDIVIDUAL TUBE TEXT

Product Name
Only for use on cats
0.017 fl oz (0.5ml)
Active Ingredients:

Contains Fipronil (9.8%), (S)-Methoprene 11.8% KEEP OUT OF REACH OF CHILDREN CAUTION See full label for additional directions EPA Reg. No. 2596-166 EPA Est. No. 2596-OH-1

OPTIONAL/ALTERNATE LABEL TEXT

Product Name can be used for the treatment and control of mosquitoes, and flea, tick and chewing lice infestations on breeding, pregnant and lactating queens.

Product Name contains Fipronil and the insect growth regulator (IGR) (S)-Methoprene. Product Name effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas, ticks, chewing lice and mosquitoes.

Stops and prevents infestations

Kills adult fleas, flea eggs, and flea larvae

Prevents all flea stages (eggs, larvae, pupae) from developing

Kills fleas which may cause flea allergy dermatitis

Kills all stages of Deer Ticks (which may carry Lyme disease), Brown Dog Ticks, American Dog Ticks, and Lone Star Ticks

Kills mosquitoes

Prevents and controls reinfestations

Rapidly eliminates infestations with chewing lice

Can also be used on breeding, pregnant and lactating queens

Fast-acting

Long-lasting

Waterproof

Convenient to use

[Adult Fleas]

Kills Fleas (that may transmit tapeworms) (for) (28 days) (30 days) (1 month) (4 weeks) (on cats 8 weeks or older weighing 3 lbs or more)

Kills (Adult) Fleas (for up to 3 months)

Kills fleas that may cause flea allergy dermatitis (for) (28 days) (30 days) (1 month) (4 weeks) (3 months)

Kills fleas that may cause flea allergy dermatitis and flea bite anemia (for) (28 days) (30 days) (1 month) (4 weeks) (3 months)

Kills fleas that may cause flea bite anemia (for) (28 days) (30 days) (1 month) (4 weeks) (3 months)

Kills fleas that may cause flea allergy dermatitis (for) (28 days) (30 days) (1 month) (4 weeks) (3 months) on cats 8 weeks or older weighing 3 lbs or more

Kills fleas that may cause flea allergy dermatitis and flea bite anemia (for) (28 days) (30 days) (1 month) (4 weeks) (3 months) on cats 8 weeks or older weighing 3 lbs or more

Kills fleas that may cause flea bite anemia (for) (28 days) (30 days) (1 month) (4 weeks) (3 months) on cats 8 weeks or older weighing 3 lbs or more

Kills newly emerged adult Fleas before they lay eggs

If there is a high risk for flea reinfestation, a once a month application may be needed

Stops existing infestations

Prevents establishment of new infestations

Prevents establishment of new infestations after application

Prevents establishment of new infestations after application in the home environment

Prevents establishment of new infestations after application on premises

Prevents establishment of new infestations in the home environment

Prevents establishment of new infestations on premises

Starts killing new fleas within 30 minutes*

*48 hours after initial application

[Both statements must appear on the same panel. The qualifying statement is to be in close proximity with the same font, color and background with font size being 40% or greater.]

[Flea Eggs]

Kills Flea Eggs (and Flea Larvae) (for) (28 days) (30 days) (1 month) (4 weeks) Prevents Flea Eggs from hatching

[Ticks]

Kills Ticks (for) (28 days) (30 days) (1 month) (4 weeks)

Kills (all stages of) Brown Dog Ticks, American Dog Ticks, Lone Star Ticks and Deer Ticks (for) (28 days) (30 days) (1 month) (4 weeks)

Kills (all stages of) Deer Ticks (that may carry Lyme disease) (for) (28 days) (30 days) (1 month) (4 weeks) (on cats)

Kills all biting stages of ticks

Kills adult (brown dog) (deer) ticks, nymphs and larvae

Kills Ticks including those that may transmit Lyme disease

[Lice & Mange]

Rapidly eliminates chewing lice infestations

Aids in Control of sarcoptic mange infestations

[Multiple]

Kills Fleas, Ticks, Flea eggs, (Flea larvae), Chewing Lice

Kills Fleas, Ticks, Flea Eggs (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea Eggs, Flea larvae (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea Eggs, Flea larvae, Chewing lice (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea Eggs, Flea larvae, Chewing lice through contact (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea Eggs through contact (for) (28 days) (30 days) (1 month) (4 weeks) Kills Fleas, Ticks, Flea Eggs, Flea larvae through contact (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea Eggs, Chewing lice through contact (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Ticks, Flea eggs, after contact (for) (28 days) (30 days) (1 month) (4 weeks) Kills Fleas, Ticks, Flea eggs, Flea larvae after contact (for) (28 days) (30 days) (1 month) (4

weeks)

Prevents development of all flea stages for up to 3 months.

Kills adult Fleas, Flea Eggs and Larvae (for up to three months)

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, after contact (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, Flea larvae (for) (28 days) (30 days) (1 month) (4 weeks)

Kills Fleas, Brown Dog Ticks, Deer Ticks, Flea Eggs, Flea larvae after contact (for) (28 days) (30 days) (1 month) (4 weeks)

Controls Flea and Tick infestations (on cats 8 weeks or older weighing 3 lbs or more) (for) (28 days) (30 days) (1 month) (4 weeks)

Provides fast, effective and convenient treatment and control of fleas, ticks, chewing lice and mosquitoes (for cats and kittens 8 weeks or older weighing 3 lbs or more)

Helps prevent re-infestation of fleas and ticks (for) (28 days) (30 days) (1 month) (4 weeks) Helps prevent flea and tick re-infestation (for) (28 days) (30 days) (1 month) (4 weeks) Kills flea eggs and flea larvae to help prevent future re-infestations

Kills all stages of the flea life cycle

Breaks the flea life cycle

Prevents all flea stages (eggs, larvae, pupae) from developing

[Mosquitoes]

Kills mosquitoes within 24 hours for up to 7 days, and within 48 hours for up to 28 days.

Kills Mosquitoes that may transmit West Nile virus (for) (28 days) (1 month) (4 weeks) (on cats 8 weeks or older weighing 3 lbs or more)

Kills Mosquitoes that may transmit heartworm (for) (28 days) (1 month) (4 weeks) (on cats 8 weeks or older weighing 3 lbs or more)

Controls flea and tick infestations

Once-a month Flea and Tick (Prevention) (Treatment) (Control) (Solution)

Monthly Flea and Tick (Prevention) (Treatment) (Control) (Solution)

(28 day) (30 day) (1 month) (4 week) Flea and Tick (Prevention) (Treatment) (Control) (Solution)

Prevents flea eggs from developing into biting adults (for) (up to) (30 days) (1 month) (4 weeks)

Stays on and doesn't rub off

Kills fleas for 30 days (1 month) (4 weeks)

Stops and prevents infestations

Prevents re-infestation

Prevents and controls re-infestation(s)

Contains two unique ingredients to prevent flea infestations

Contains two unique ingredients to prevent flea infestations in the home environment

Contains two unique ingredients to prevent flea infestations on premises

Rapidly eliminates fleas

Fast acting

Long lasting

Effective and convenient topical treatment

Kills fleas (and ticks) through (after) contact

(With) patented applicator

(With) patent pending applicator

Waterproof

Effective after bathing

Effective after exposure to water

Easy spot on topical applicator

Patents Pending

Do not reapply product for 30 days

Remains effective even after bathing, water immersion, or exposure to sunlight

(Product Name) remains effective even after bathing, water immersion, or exposure to sunlight.

Avoid contact with treated area until dry.

Can also be used on breeding, pregnant and lactating queens

Convenient to use

Contains Fipronil and the insect growth regulator (IGR) (S)-Methoprene. (Product name) effectively targets all stages of fleas. Fipronil collects in the oils of the skin and hair follicles, and continues to be released from hair follicles onto the skin and coat, resulting in long-lasting activity against fleas, ticks and chewing lice.

Contains Fipronil and (S)-Methoprene (, the active ingredients used in Frontline Plus ®). (Brand name) is not manufactured by or distributed by Merial. Frontline Plus® is a registered trademark of Merial Limited.

Only for use on cats and kittens 8 weeks of age or older weighing 3 lbs. or more Specially formulated for cats and kittens 8 weeks of age or older weighing 3 lbs. or more

NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT

1st dose, 2nd dose, 3rd dose

First month, second month, third month

Value pack


3 month supply

Hartz [®] Reference #131 EPA Reg. No.: 2596-166 MASTER LABEL- -

March 27,2012 Revised February 26, 2014

3 monthly treatment(s) Apply monthly (every 30 days)
Convenient (easy to use) applicator
3 Pro-cision Flo® Applicator(s) (included)
With Pro-cision Flo® Applicator
Featuring Pro-cision Flo® Applicator (for easy application)
Direct to your cat's skin
Easy (simple) to use (handle) (apply)
Made in the U.S.A
Patent(s) Pending Formula
After application, the treated area may appear wet (or) (oily) for up to 24 hours
You may bathe your cat 48 hours after application
To help remind you when you last applied treatment, simply write in the date when each dose is applied:
First Dose
Second Dose
Third Dose

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation



Rodia, Carmen

From: DJones@hartz.com

Sent: Wednesday, February 26, 2014 1:29 PM

To: Rodia, Carmen

Subject: Master Label 2596-166 02.26.14 edit marks.pdf, Master Label 2596-166 02.26.14.pdf,

2596-166 (Hartz Reference #131), Marked-Up Label (12-12-13).pdf

Attachments: Master Label 2596-166 02.26.14 edit marks.pdf; Master Label 2596-166 02.26.14.pdf;

2596-166 (Hartz Reference #131), Marked-Up Label (12-12-13).pdf

Dear Mr. Rodia,

Attached is Hartz's master label proposed for the subject product and files with edits.

- One file shows the label with edits from the prior proposed label expressed through highlights and strikeouts
- The second file incorporates those edits without the marks.
- The last is the strikeout label copy provided in the agency's Dec. 12, 2013 e-mail.

All agency edits were implemented by Hartz. The agency prescribed language for the speed of kill claim is also included with formatting guidance.

If you have any questions or concerns, please feel free to contact me directly.

Thank you for your efforts in this filing.

Sincerely,

David Jones
Manager Regulatory Affairs
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094
TEL: 201-271-4800 x 7414

FAX: 201-271-0357

Your message is ready to be sent with the following file or link attachments: Master Label 2596-166 02.26.14 edit marks.pdf Master Label 2596-166 02.26.14.pdf 2596-166 (Hartz Reference #131), Marked-Up Label (12-12-13).pdf

Note: To protect against computer viruses, e-mail programs may prevent sending or receiving certain types of file attachments. Check your e-mail security settings to determine how attachments are handled.

Pages 14-15 Confidential Statement of Formula may be entitled to confidential treatment